

FUJIKURA OFFSET BLANKETS - PRODUCT GUIDE -



	Model Name Surface Colour	Thickness / inch	Compre- ssibility	Heatset		Coldset	Sheetfed						Image Reproductively		Paper Release	Comment
				Coat Paper	Rough Paper		Thick	Thin	Varnish	UV	Perfec- tor	Small offset	Solid	Dot		
Inks on mineral or vegetable oil base	FS-50	0.067" 0.077"	Semi hard			●	●	●		●	●	●	□	□	●	General sheetfed Higher color, Good Smash Recovery
	FS-615Premium	0.067" 0.077"	Semi hard	●				●	●	●	□	●	□	□	□	High Quality Sheetfed High-end printing
	FW-300	0.067" 0.077"	Soft	□	●			●			●		●	□	□	General commercial web Heatset
	FW-300R	0.067" 0.077"	Semi hard	●	□	□	●						□	●	□	Heatset on Rougher Paper Coldset
	FD-800	0.102"	Hard				●	●				□	●	●	□	Ryobi No-Pack
	NX-1V	0.066", 0.077" 0.083", 0.086"	Hard			□							□	●	□	Neutral-Positive Feed Newspaper Presses, B-B, Stelite and Tower unit
FN-400V	0.083"	Hard			□							□	●	□	Neutral-Negative Feed Newspaper Presses, B-B, Stelite and Tower unit	
UV setting inks	FS-100	0.067" 0.077"	Semi hard				●			□			●		●	Sheetfed, Metal decoration UV only
	FS-70	0.067" 0.077"	Semi hard				●			□			●		●	Sheetfed Hybrid & superior anti-dust piling
	FE-30	0.067" 0.077"	Semi hard							□						Sheetfed, anti-static electricity Plastic Cup printing
BF	BF-2000	0.0355" 0.0375", 0.041"	Soft	-	-	-	-	-	-	-	-	-	-	-	-	Business form, Envelope printing Hybrid, Adhesive back type
	BF-2000UV	0.0355" 0.0375", 0.041"	Soft	-	-	-	-	-	-	-	-	-	-	-	-	business form, envelope printing UV only, Adhesive back type
CAN	FD-640ST	0.07"-0.08"	Semi hard	-	-	-	-	-	-	-	-	-	-	-	-	2-Piece Can, Adhesive back type
Varnish	FP-75	0.067" 0.077"	Soft	-	-	-	-	-	□	-	-	-	-	-	-	Stripping Blanket for Coating
Under	FUJI PAT	0.025" 0.040"	Soft packing	-	-	-	-	-	-	-	-	-	-	-	-	Under packing blanket

The suitability will vary depending on the condition of usage.

□ FUJIKURA's Recommendation for best quality

● Good suitability